Accr *Revision: 03.05.2023*

Printing date 03.05.2023

Version number 8 (replaces version 7)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: 4CR 7442 WBS Prefilled-Spray

- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- · Application of the substance / the mixture Paint

1.3 Details of the supplier of the safety data sheet
Manufacturer/Supplier: 4CR International GmbH & Co. KG Donnerstrasse 10b 22763 Hamburg Tel.: +49 (0) 40 69 60 99 30 E-Mail: Info@4CR.com www.4CR.com
1.4 Emergency telephone number: +49(0)700 24112112 (CRM)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.



Eye Irrit. 2 H319Causes serious eye irritation.STOT SE 3 H336May cause drowsiness or dizziness.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation. Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling: acetone Butan-1-ol · Hazard statements H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. · Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31



Printing date 03.05.2023

Version number 8 (replaces version 7)

Trade name: 4CR 7442 WBS Prefilled-Spray

(Contd. of page 1)

Do not pierce or burn, even after use. P251 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. *P410+P412* Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. • Additional information: EUH066 Repeated exposure may cause skin dryness or cracking. Buildup of explosive mixtures possible without sufficient ventilation.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 115-10-6 EINECS: 204-065-8 Reg.nr.: 01-2119472128-37	dimethyl ether	50-100%
CAS: 67-64-1 EINECS: 200-662-2 Reg.nr.: 01-2119471330-49	acetone Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	25-50%
CAS: 1330-20-7 EINECS: 215-535-7 Reg.nr.: 01-2119488216-32	Xylene Flam. Liq. 3, H226; STOT RE 2, H373; Asp. Tox. 1, H304; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	2.5-<5%
CAS: 71-36-3 EINECS: 200-751-6 Reg.nr.: 01-2119484630-38	Butan-1-ol	≥2.5-<3%
CAS: 67-56-1 EINECS: 200-659-6	methanol \bigstar Flam. Liq. 2, H225; \bigstar Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; \bigstar STOT SE 1, H370 Specific concentration limits: STOT SE 1; H370: $C \ge 10 \%$ STOT SE 2; H371: 3 % $\le C < 10 \%$	<2.5%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)

GB

Safety data sheet

according to 1907/2006/EC, Article 31



Printing date 03.05.2023

Version number 8 (replaces version 7)

Trade name: 4CR 7442 WBS Prefilled-Spray

(Contd. of page 2)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace.

• Information about fire - and explosion protection: Do not spray onto a naked flame or any incandescent material. Keep ignition sources away - Do not smoke. Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurised containers.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:
- Do not seal receptacle gas tight. Keep container tightly sealed.

• Storage class: 2 B

• 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

according to 1907/2006/EC, Article 31 Version number 8 (replaces version 7)



Printing date 03.05.2023

Trade name: 4CR 7442 WBS Prefilled-Spray

(Contd. of page 3)

Ingr	edients with limit values that require monitoring at the workplace:	
115-	10-6 dimethyl ether	
WEL	. Short-term value: 958 mg/m³, 500 ppm Long-term value: 766 mg/m³, 400 ppm	
67-6	4-1 acetone	
WEL	Short-term value: 3620 mg/m³, 1500 ppm Long-term value: 1210 mg/m³, 500 ppm	
1330	0-20-7 Xylene	
WEL	, Short-term value: 441 mg/m³, 100 ppm Long-term value: 220 mg/m³, 50 ppm Sk; BMGV	
71-3	6-3 Butan-1-ol	
WEL	Short-term value: 154 mg/m³, 50 ppm Sk	
67-5	6-1 methanol	
WEL	Short-term value: 333 mg/m³, 250 ppm Long-term value: 266 mg/m³, 200 ppm Sk	
Ingr	edients with biological limit values:	
1330	D-20-7 Xylene	
BMC	<i>GV</i> 650 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: methyl hippuric acid	

Individual protection measures, such as personal protective equipment

• General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



(Contd. on page 5)

GB



Printing date 03.05.2023

Version number 8 (replaces version 7)

Trade name: 4CR 7442 WBS Prefilled-Spray

(Contd. of page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Breakthrough time of glove material

- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye/face protection

Safety glasses



Tightly sealed goggles

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical p	roperties
· General Information	1
· Physical state	Aerosol
· Colour:	According to product specification
· Odour:	Characteristic
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	-24.9 °C
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	2.6 Vol %
· Upper:	18.6 Vol %
· Flash point:	<0 °C (DIN 53213)
· Auto-ignition temperature:	235 °C (DIN 51794)
· Decomposition temperature:	Not determined.
· pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 20 °C:	5,200 hPa
· Density and/or relative density	
Density at 20 °C:	0.71 g/cm ³ (DIN 53217)
· Relative density	Not determined.
· Vapour density	Not determined.
• 9.2 Other information	
· Appearance:	
· Form:	Aerosol
Important information on protection of health an	d
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
• Explosive properties:	Product is not explosive. However, formation of
	explosive air/vapour mixtures are possible.
	(Contd. on page 6)

GB



Printing date 03.05.2023

Version number 8 (replaces version 7)

Trade name: 4CR 7442 WBS Prefilled-Spray

	(Contd. of page
Solvent content:	
Water:	0.3 %
VOC (EC)	<i>99.49 %</i>
Solids content (weight-%):	0.3 %
Change in condition	
Evaporation rate	Not applicable.
Information with regard to physical hazard	classes
Explosives	Void
Flammable gases	Void
Aerosols	Extremely flammable aerosol. Pressurised containe
	May burst if heated.
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamm	able
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known.

· 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: Carbon monoxide

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Causes serious eye irritation.

· STOT-single exposure May cause drowsiness or dizziness.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

(Contd. on page 7)

GB



(Contd. of page 6)

Printing date 03.05.2023

Version number 8 (replaces version 7)

Trade name: 4CR 7442 WBS Prefilled-Spray

• 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) : hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1950
· 14.2 UN proper shipping name	
· ADR	UN1950 AEROSOLS
· IMDG	AEROSOLS
·IATA	AEROSOLS, flammable
· 14.3 Transport hazard class(es)	
ADR	
· Class · Label	2 5F Gases. 2.1
· IMDG, IATA	
· Class	2.1 Gases.
· Label	2.1
· 14.4 Packing group	
· ADR, IMDG, IATA	Void



Printing date 03.05.2023

Version number 8 (replaces version 7)

Trade name: 4CR 7442 WBS Prefilled-Spray

	(Contd. of page
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Warning: Gases.
Hazard identification number (Kemler code):	-
EMS Number:	F- D , S - U
Stowage Code	SW1 Protected from sources of heat.
	SW22 For AEROSOLS with a maximum capacity of
	litre: Category A. For AEROSOLS with a capacity above
	1 litre: Category B. For WASTE AEROSOLS: Categor
	C, Clear of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of litre:
	Segregation as for class 9. Stow "separated from" class except for division 1.4.
	For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of class 2
	For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class 2
14.7 Maritime transport in bulk according to	IMO
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Transport category	2
Tunnel restriction code	D
IMDG	
Limited quantities (LQ)	IL
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P3a FLAMMABLE AEROSOLS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · National regulations:
- Additional classification according to Decree on Hazardous Materials, Annex II:

Class	Share in %
Ι	<2.5
NK	50-100

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 9)

GB



GB

Printing date 03.05.2023

Version number 8 (replaces version 7)

Trade name: 4CR 7442 WBS Prefilled-Spray

raae nan	he: 4CR /442 WBS Prejulea-Spray	
		(Contd. of page 8)
· Releva	unt phrases	
H220	Extremely flammable gas.	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H280	Contains gas under pressure; may explode if heated.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H302	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H318	Causes skin in Hatton. Causes serious eye damage.	
H319	Causes serious eye aumage. Causes serious eye irritation.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H335 H335	May cause respiratory irritation.	
H336 H370	May cause drowsiness or dizziness.	
	Causes damage to organs.	
H373	May cause damage to organs through prolonged or repeated exposure.	
	66 Repeated exposure may cause skin dryness or cracking.	
	fication according to Regulation (EC) No 1272/2008	1, 1.
	assification of the mixture is generally based on the calculation method using substance $(EG) = (EG) + (272)(2009)$	e aata accoraing
	ulation (EC) No 1272/2008.	
	viations and acronyms: èglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulat	tions Concerning the
	ional Transport of Dangerous Goods by Rail)	ions Concerning the
	GR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)	
ICAO: I	International Civil Aviation Organisation	
	I: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)	
	lccord relatif au transport international des marchandises dangereuses par route (European Agreem tional Carriage of Dangerous Goods by Road)	ent Concerning the
	International Maritime Code for Dangerous Goods	
	nternational Air Transport Association	
	Clobally Harmonised System of Classification and Labelling of Chemicals	
	S: European Inventory of Existing Commercial Chemical Substances S: European List of Notified Chemical Substances	
	hemical Abstracts Service (division of the American Chemical Society)	
	olatile Organic Compounds (USA, EU)	
PBT: Pe	ersistent, Bioaccumulative and Toxic	
	ery Persistent and very Bioaccumulative	
	Gas 1A: Flammable gases – Category 1A 1: Aerosols – Category 1	
	Gas (Liq.): Gases under pressure – Liquefied gas	
Flam. L	iq. 2: Flammable liquids – Category 2	
	iq. 3: Flammable liquids – Category 3	
	ox. 3: Acute toxicity – Category 3 ox. 4: Acute toxicity – Category 4	
	it. 2: Skin corrosion/irritation – Category 2	
	m. 1: Serious eye damage/eye irritation – Category 1	
	t. 2: Serious eye damage/eye irritation – Category 2	
	E 1: Specific target organ toxicity (single exposure) – Category 1	
	E 3: Specific target organ toxicity (single exposure) – Category 3 E 2: Specific target organ toxicity (repeated exposure) – Category 2	
	x. 1: Aspiration hazard – Category 1	
· * Data	a compared to the previous version altered.	
		GB